


Board of Trustees
Village of Black River, New York



Agenda

Regular Meeting

January 7, 2019

- Call to order.
- Pledge of Allegiance.
- Approval of minutes of the 12/3/18 regular meeting.
- Public Comment.
- Code Enforcement Report & review of related correspondence.
- Superintendent's Report.
- Clerk-Treasurer's Report.
- Police Department Report.

Correspondence Received:

- | | |
|--------------------------------|------------------------------------|
| A) National Grid | Re: LED street lighting conversion |
| B) Rte. 3 Sewer Board | Re: December minutes |
| C) NYS Dept. of Health | Re: Testing results |
| D) Black River Fire Department | Re: Elected officials |
| E) Waste Management | Re: Rates |

Correspondence Sent:

- | | |
|------------------------------------|---------------------------------|
| A) Non-residential property owners | Re: Fire and Safety Inspections |
|------------------------------------|---------------------------------|

New Business:

- A) Property records search fee.
- B) Begin budget discussions in February.

Unfinished Business:

- Reports from Standing Committees.
- Reports from Special Meetings.
- Authorize payment of bills; adjournment.

Village of Black River
Board of Trustees
Regular Meeting
December 3, 2018

DRAFT

Mayor Carpenter called the meeting to order at 6:00 p.m. He led the Pledge of Allegiance and asked for a moment of silence to recognize the passing of President George H.W. Bush.

Present:

Mayor Leland Carpenter
Trustee McCullough
Trustee Dishaw
Superintendent Steve Lillie
Code Enforcement Officer James Holland
Clerk-Treasurer Kristin Williams

Absent:

Trustee Michael Caldwell
Trustee Corey Decillis

The board reviewed the annual agenda. Mayor Carpenter stated that Zoning Board Chairman Mark Wonderly will be resigning from the board in the spring.

A motion was made by Trustee Dishaw, seconded by Trustee McCullough to approve the Annual Agenda. The motion was carried.

A motion was made by Trustee McCullough, seconded by Mayor Carpenter to approve the minutes of the November 5, 2018 regular meeting. The motion was carried.

Mayor Carpenter stated that the porch has been removed at 119 N. Main St. He stated the removal had left siding exposed. Trustee McCullough stated that NRC, who did the removal should be contacted for the repair and that the village will supply the materials if necessary. Mayor Carpenter stated that Superintendent Lillie will contact the contractor and if they will not make the repair that the village will hire a contractor.

A motion was made by Trustee Dishaw, seconded by Mayor Carpenter to adopt the following resolution:

Resolved, that if NRC does not repair the porch removal site at 119 N. Main St. the village will hire a contractor to make repairs in an amount not to exceed \$2,000. The motion was put to a vote as follows:

Mayor Carpenter	Yes
Trustee Dishaw	Yes
Trustee McCullough	Yes
Trustee Caldwell	Absent
Trustee Decillis	Absent

The motion was carried and the resolution duly adopted.

Code Enforcement Report: CEO Holland stated that the updates he had previously recommended to the board have already been adopted. He stated that he was unaware because he did not have the latest updates to the code. He stated that the operator of Get R Done Automotive would like to put up a temporary sign advertising services but that it is not allowable by the code. CEO Holland suggested updating the code to allow signs at the businesses on NYS Rt. 3. Mayor Carpenter stated that he would talk to the Planning Board about the issue.

Public Comments: Heather Saski, 157 Maple St. was present to discuss her concern regarding sidewalks. She stated that her daughter has to walk to the bus stop on unshoveled sidewalks. She stated that she would like to see all sidewalks shoveled by 8:30 a.m. Mayor Carpenter stated that residents have 24 hours to remove snow from their sidewalks and if they don't comply then the village can hire a contractor to remove the snow and the property owner will be billed. He also stated that he will contact the bus garage to see if more bus stops can be added during the inclement weather.

Superintendent's Report: Superintendent Lillie stated that they plowed and sanded as needed, fixed a water leak on Maple St. and that the new truck is in Buffalo and should be delivered soon. He stated that a school bus had hit the fence near the garage and that the school district should be making repairs.

Clerk-Treasurer's Report: Clerk-Treasurer Williams explained that she had gotten an invoice from National Grid for the LED street light conversion. She stated that payment must be made before the work can be scheduled.

A motion was made by Trustee McCullough, seconded by Mayor Carpenter to adopt the following resolution:
Resolved, pay the National Grid invoice in the amount of \$7,996.75 for the LED street light conversion.
The motion was put to a vote as follows:

Mayor Carpenter	Yes
Trustee McCullough	Yes
Trustee Dishaw	Yes
Trustee Caldwell	Absent
Trustee Decillis	Absent

The motion was carried and the resolution duly adopted.

A motion was made by Trustee McCullough, seconded by Trustee Dishaw to adopt the following resolution:
Resolved, that Medicare Blue PPO 3 through Excellus be approved for the group Medicare plan for the village. The motion was put to a vote as follows:

Mayor Carpenter	Yes
Trustee McCullough	Yes
Trustee Dishaw	Yes
Trustee Caldwell	Absent
Trustee Decillis	Absent

The motion was carried and the resolution duly adopted.

Correspondence Received: The board reviewed a letter regarding cell tower lease information.

A motion was made by Trustee Dishaw, seconded by Mayor Carpenter to approve Nathalie Negron as a member of the Black River Fire Department. The motion was carried.

Correspondence Sent: The board reviewed a letter that was sent to Gerald Gerrard.

A motion was made by Trustee Dishaw, seconded by Trustee McCullough to adopt the following resolution:
Resolved, that the following abstracts of audited vouchers be approved: interim abstract dated 11/9/18 in the amount of \$4,865.45 (General Fund: \$3,588.72 Water Fund: \$1,276.73) interim abstract dated 11/21/18 in the amount of \$7,661.13 (General Fund: \$7,609.85 Water Fund: \$51.28) and regular monthly abstract dated 12/3/18 in the amount of \$44,615.86 (General Fund: \$39,442.90 Water Fund: \$5,172.96). The motion was put to a vote as follows:

Mayor Carpenter	Yes
Trustee McCullough	Yes
Trustee Dishaw	Yes
Trustee Caldwell	Absent
Trustee Decillis	Absent

The motion was carried and the resolution duly adopted.

A motion was made by Trustee McCullough, seconded by Mayor Carpenter to adjourn the meeting at 7:21 p.m.
The motion was carried.

Respectfully submitted,

Kristin Williams
Clerk-Treasurer

**BLACK RIVER/EVANS MILLS POLICE DEPARTMENT
MONTHLY REPORT
December-18**

	B/R	E/M	TOTAL	Nov-18	Oct-18
ARRESTS -	0	1	1	1	6
COMPLAINTS -	20	10	30	30	40
VEHICLE STOPS -	34	14	48	33	53
TICKETS ISSUED -	6	2	8	10	20
ACCIDENT REPORTS -	1	1	2	0	0
PARKING VIOLATIONS -	2	1	3	9	2
MOTORIST ASSISTS -	1	1	2	0	2
ASSIST OTHER AGENCY -	10	5	15	11	13
ESCORTS -	0	0	0	0	1
VEHICLES TOWED -	0	0	0	2	0
PROPERTY CHECKS -	31	26	57	48	38
INCIDENT REPORTS -	2	2	4	7	9
DOMESTIC REPORTS -	0	0	0	0	1
OFFENSE REPORTS -	0	1	1	2	6
FOLLOW UP REPORTS -	3	3	6	0	5
CRIMES REPORTED -	0	0	0	2	3

DAYS WORKED PER MONTH - 16/31 DAYS

GAS USED - 68.7 GALLONS

HOURS WORKED - 131 HOURS

MILES DRIVEN - 752 MILES

EXTRA DETAILS - SHOP W/ A COP, WOOD AND OBRIEN RECERT FOR BREATH TEST OPERATOR

**POLICE CHIEF, STEVEN C WOOD #2701
POLICE DEPARTMENT
VILLAGE OF BLACK RIVER/EVANS MILLS NY**

Steven C Wood #2701

POLICE DEPARTMENT YEARLY HOURS 1500 TOTAL

MONTH		ALOTTED	ACTUAL	BALANCE
				1500
JUN	2018	125	121	1379
JUL	2018	125	111	1268
AUG	2018	125	128.5	1139.5
SEP	2018	125	141.5	998
OCT	2018	125	143	855
NOV	2018	125	118.5	736.5
DEC	2018	125	131	605.5
JAN	2019	125		
FEB	2019	125		
MAR	2019	125		
APR	2019	125		
MAY	2019	125		

REMAINDER AVERAGE FOR FISCAL YEAR 2018/2019 = 121.1

FISCAL YEAR 2018/2019 BALANCE = 605.5

--	--	--	--	--

UTT Report by Date

From 12/01/2018 to 12/31/2018

Date	Officer Name	Badge	Case Number	Section And Offense	Status	Location	Local Code
12/31/2018	WOOD S	01	C32192PVQZ	4013 FAILED TO CHANGE ADDRESS/REG	4	SR 3 @ W REMINGTON ST B/R	18BR00766
12/29/2018	WOOD S	01	C32192H783	3752A3 NO/INSUFFICIENT TAIL LAMPS	7	SR 3 @ STAFFORD DR B/R	18BR00761
12/27/2018	WOOD S	01	C321928RFJ	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	US 11 @ STEINHILBER RD E/M	18BR00755
12/27/2018	WOOD S	01	C32192806W	37540B INADEQUATE OR NO STOP LAMPS	7	SR 3 @ STAFFORD DR B/R	18BR00751
12/20/2018	WOOD S	01	C32191J2BD	37540B INADEQUATE OR NO STOP LAMPS	7	SR 3 B/R	18BR00742
12/19/2018	WOOD S	01	C32191DRNC	5098 FLD/NOTIFY DMV CHANGE OF ADDRESS	7	LERAY ST @ HOWE ST B/R	
12/15/2018	WOOD S	01	C32191045G	1180D SPEED IN ZONE	7	SR 3 AT WEST REMINGTON ST	18BR00727
12/02/2018	WOOD S	01	C3218ZLS0Q	37540B INADEQUATE OR NO STOP LAMPS	7	LERAY ST @ HENRY ST E/M	18BR00700

Summary

Query returned 8 records.

BLACK RIVER/EVANS MILLS POLICE DEPARTMENT
YEARLY REPORT
Jan 1 2018 -Dec 31 2018

	B/R	E/M	TOTAL	2017	2016
ARRESTS -	11	17	28	20	10
COMPLAINTS -	230	147	377	288	208
VEHICLE STOPS -	217	252	469	471	255
TICKETS ISSUED -	69	94	163	128	86
ACCIDENT REPORTS -	5	3	8	10	1
PARKING VIOLATIONS -	20	23	43	63	30
MOTORIST ASSISTS -	7	8	15	10	5
ASSIST OTHER AGENCY -	72	48	120	84	57
ESCORTS -	7	1	8	10	10
VEHICLES TOWED -	0	7	7	7	2
PROPERTY CHECKS -	253	256	509	464	382
INCIDENT REPORTS -	51	36	87	95	61
DOMESTIC REPORTS -	2	1	3	4	5
OFFENSE REPORTS -	7	8	15	36	19
FOLLOW UP REPORTS -	15	25	40	16	20
CRIMES REPORTED -	11	3	14	13	23

DAYS WORKED PER MONTH - 194 DAYS **200 IN 2017**

GAS: 811.1 GALLONS

HOURS WORKED - 1512 HOURS **1599 IN 2017**

MILES DRIVEN - 8717 MILES **9086 IN 2017**

CALLS FROM JCSO DISPATCH - 767 CALLS **718 IN 2017**

POLICE CHIEF, STEVEN C WOOD #2701
POLICE DEPARTMENT
VILLAGE OF BLACK RIVER/EVANS MILLS NY

SCW #2701

UTT Report by Date

From 01/01/2018 to 12/31/2018

Date	Officer Name	Badge	Case Number	Section And Offense	Status	Location	Local Code
12/31/2018	WOOD S	01	C32192PVQZ	4013 FAILED TO CHANGE ADDRESS/REG	4	SR 3 @ W REMINGTON ST B/R	18BR00766
12/29/2018	WOOD S	01	C32192H783	3752A3 NO/INSUFFICIENT TAIL LAMPS	4	SR 3 @ STAFFORD DR B/R	18BR00761
12/27/2018	WOOD S	01	C321928RFJ	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	US 11 @ STEINHILBER RD E/M	18BR00755
12/27/2018	WOOD S	01	C32192806W	37540B INADEQUATE OR NO STOP LAMPS	7	SR 3 @ STAFFORD DR B/R	18BR00751
12/20/2018	WOOD S	01	C32191J2BD	37540B INADEQUATE OR NO STOP LAMPS	7	SR 3 B/R	18BR00742
12/19/2018	WOOD S	01	C32191DRNC	5098 FLD/NOTIFY DMV CHANGE OF ADDRESS	7	LERAY ST @ HOWE ST B/R	
12/15/2018	WOOD S	01	C32191045G	1180D SPEED IN ZONE	7	SR 3 AT WEST REMINGTON ST	18BR00727
12/02/2018	WOOD S	01	C3218ZLSOQ	37540B INADEQUATE OR NO STOP LAMPS	7	LERAY ST @ HENRY ST E/M	18BR00700
11/24/2018	OBRIEN D	03	C3218XPQJT	1180D SPEED IN ZONE	7	WILLOW ST	18BR00680
11/13/2018	OBRIEN D	03	C3218WLOWD	1180D SPEED IN ZONE	7	S MAIN ST, E/M	18BR00661
11/13/2018	WOOD S	01	C3218WKKNR	5111A AGGRAVATED UNLIC OP 3RD (MISD)	3	LERAY ST @ HENRY ST E/M	18BR00658
11/13/2018	WOOD S	01	C3218WKKH8	1124 INTERFERED W/ SAFE OPERATION	3	LERAY ST @ HENRY ST E/M	18BR00658
11/08/2018	WOOD S	01	C3218W1ZF1	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	LERAY ST @ HENRY ST E/M	18BR00652-18
11/08/2018	WOOD S	01	C3218W1Z4G	1180D SPEED IN ZONE	7	LERAY ST @ HENRY ST E/M	18BR00652-18
11/05/2018	WOOD S	01	C3218VQ1RP	5098 FLD/NOTIFY DMV CHANGE OF ADDRESS	3	FACTORY ST E/M	18BR00637
11/05/2018	WOOD S	01	C3218VQL42	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	SR 3 NEAR STAFFOD DR B/R	18BR00640
11/05/2018	WOOD S	01	C3218VQ3R3	306B UNINSPECTED MOTOR VEHICLE	7	KEYSER RD E/M	18BR00638
11/05/2018	WOOD S	01	C3218VQMJK	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	SR 3 NEAR STAFFOD DR B/R	18BR00641
10/30/2018	OBRIEN D	03	C3218V3491	1180D SPEED IN ZONE	7	LERAY ST, B/R	18BR00630
10/30/2018	OBRIEN D	03	C3218V38XN	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST, E/M	18BR00631
10/30/2018	WOOD S	01	C3218V2RXD	4031 NO/MORE THAN ONE STICKER	7	S MAION ST @ ST MARY'S CHU	18BR00629
10/28/2018	WOOD S	01	C3218TVQ19	306B UNINSPECTED MOTOR VEHICLE	7	FACTORY ST E/M	18BR00624
10/28/2018	WOOD S	01	C3218TVP97	1180D SPEED IN ZONE	7	FACTORY ST E/M	18BR00624
10/28/2018	WOOD S	01	C3218TVFJV	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	LERAY ST @ HENRY ST E/M	18BR00622
10/28/2018	WOOD S	01	C3218TVQ29	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	FACTORY ST E/M	18BR00624
10/27/2018	WOOD S	01	C3218TRZ3D	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	SR 3 @ CESARIOS B/R	18BR00612
10/25/2018	WOOD S	01	C3218TJR13	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	S MAIN ST @ SCHOOL E/M	18BR00609
10/25/2018	WOOD S	01	C3218TJQTN	1180C SPEEDING IN SCHOOL ZONE	7	S MAIN ST @ SCHOOL E/M	18BR00609
10/25/2018	WOOD S	01	C3218TJP18	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST AT SCHOOL E/M	18BR00608
10/16/2018	WOOD S	01	C3218SKZ5H	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST @ SCHOOL E/M	18BR00600
10/15/2018	WOOD S	01	C3218SGT3W	37540B INADEQUATE OR NO STOP LAMPS	7	SR 3 @ S MAIN ST B/R	18BR00595

Date	Officer Name	Badge	Case Number	Section And Offense	Status	Location	Local Code
10/13/2018	WOOD S	01	C3218S9DK5	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	SR 3 @ STAFFORD DR	18BR00590
10/13/2018	WOOD S	01	C3218S9CK0	1180D SPEED IN ZONE	7	SR 3 @ STAFFORD DR	18BR00590
10/05/2018	WOOD S	01	C3218RFHFK	1180D SPEED IN ZONE	7	SR 3 @ DOLLAR GENERAL B/R	18BR00569
10/05/2018	WOOD S	01	C3218RF0TJ	1125A1 DRIVING/LEFT ON CREST GRADE/CURVE	7	S MAIN ST NEAR DORR FARM B	18BR00566
10/05/2018	WOOD S	01	C3218RFQ0F	1180D SPEED IN ZONE	7	SR 3 @ STAFFORD DR B/R	18BR00573
10/05/2018	WOOD S	01	C3218RFHPG	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	SR 3 @ DOLLAR GENERAL B/R	18BR00569
10/02/2018	OBRIEN D	03	C3218R3JM3	1180D SPEED IN ZONE	7	CEMETERY ST, E/M	18BR000561
10/01/2018	WOOD S	01	C3218R0C26	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST @ 184	18BR00557
09/26/2018	OBRIEN D	03	C3218Q675C	1180D SPEED IN ZONE	7	HUNTINGTON ST, B/R	18BR00554
09/24/2018	WOOD S	01	C3218Q7KLN	306B UNINSPECTED MOTOR VEHICLE	7	S MAIN ST E/M	18BR00546\
09/18/2018	OBRIEN D	03	C3218PLMC9	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST, B/R	18BR00532
09/18/2018	OBRIEN D	03	C3218PLWXT	1162 UNSAFE STARTING	7	S MAIN ST, E/M	18BR00534
09/18/2018	OBRIEN D	03	C3218PLWKP	37528 UNNECESSARY SMOKE	7	S MAIN ST, E/M	18BR00534
09/17/2018	WOOD S	01	C3218PHFJ1	5092 OPERATING OUT OF CLASS	7	N MAIN ST @ LERAY ST E/M	18BR00530
09/17/2018	WOOD S	01	C3218PHGMN	5112A4 AGGRAVATED UNLICENSED OPERATION - 2ND DEG	7	LERAY ST @ HENRY ST E/M	18BR00531
09/11/2018	WOOD S	01	C3218NTSKH	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST @ SCHOOL E/M	18BR00525
09/10/2018	WOOD S	01	C3218NR4CP	37540B INADEQUATE OR NO STOP LAMPS	7	SR 3 @ STAFFORD DR B/R	18BR00518
09/08/2018	WOOD S	01	C3218NKDD3	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	S MAIN ST @ PEARL ST E/M	18BR00515
09/08/2018	WOOD S	01	C3218NKC98	1180D SPEED IN ZONE	7	S MAIN ST @ PEARL ST E/M	18BR00515
09/08/2018	WOOD S	01	C3218NK0TJ	306B UNINSPECTED MOTOR VEHICLE, JUN18	7	CEMETERY ST E/M	18BR00512
09/07/2018	WOOD S	01	C3218NFKJ5	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	SR 3 NEAR CESARIOS B/R	18BR00510
09/07/2018	WOOD S	01	C3218NFCZC	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	SR 3 BR	18BR00509
09/07/2018	WOOD S	01	C3218NFJQR	1180D SPEED IN ZONE	7	SR 3 NEAR CESARIOS B/R	18BR00510
09/07/2018	WOOD S	01	C3218NFK73	5091 UNLICENSED OPERATOR	7	SR 3 NEAR CESARIOS B/R	18BR00510
09/05/2018	WOOD S	01	C3218N6D19	5091 UNLICENSED OPERATOR	7	S MAIN ST @ SCHOOL E/M	18BR00500
09/05/2018	WOOD S	01	C3218N6D6V	5112A4 AGGRAVATED UNLICENSED OPERATION - 2ND DEG	7	S MAIN ST @ SCHOOL E/M	18BR00500
09/05/2018	WOOD S	01	C3218N6DSC	5112A3 AGGRAVATED UNLIC OPER-2ND/MANDATORY SUSP	7	S MAIN ST @ SCHOOL E/M	18BR00500
09/05/2018	WOOD S	01	C3218N6C47	1180C SPEEDING IN SCHOOL ZONE	7	S MAIN ST @ SCHOOL E/M	18BR00500
09/05/2018	WOOD S	01	C3218N6CV6	37531 INADEQUATE/NO MUFFLER	7	S MAIN ST @ SCHOOL E/M	18BR00500
09/04/2018	WOOD S	01	C3218N3PPT	4031 NO/MORE THAN ONE STICKER	7	S MAIN ST @ SCHOOL E/M	18BR00494
09/04/2018	WOOD S	01	C3218N31KV	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	SR 3 @ STAFFORD DR	18BR00490
08/25/2018	WOOD S	01	C3218M1MSJ	37540B INADEQUATE OR NO STOP LAMPS	7	S MAIN ST @ US 11	18BR00427
08/23/2018	OBRIEN D	03	C3218LTFQG	1180D SPEED IN ZONE	7	WILLOW ST	18BR00474
08/23/2018	WOOD S	01	C3218LR7K7	1180D SPEED IN ZONE	7	SR 3 B/R	18BR00471
08/23/2018	WOOD S	01	C3218LR7V1	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	SR 3 B/R	18BR00471

Date	Officer Name	Badge	Case Number	Section And Offense	Status	Location	Local Code
08/23/2018	WOOD S	01	C3218LR815	5091 UNLICENSED OPERATOR	7	SR 3 B/R	18BR00471
08/23/2018	OBRIEN D	03	C3218LTCSS	1180D SPEED IN ZONE	7	S MAIN ST, E/M	18BR00472
08/23/2018	OBRIEN D	03	C3218LTF13	1180D SPEED IN ZONE	7	WILLOW ST	18BR00473
08/21/2018	WOOD S	01	C3218LLV91	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST @ SR 3 B/R	18BR00463
08/14/2018	WOOD S	01	C3218KTGLV	37512AB2 SIDEWINGS/SIDEWINDOWS/NON/TRASNPRINT	7	WILLOW ST E/M	18BR00448
08/14/2018	WOOD S	01	C3218KVGBW	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST NEAR DORR FARM	18BR00452
08/13/2018	WOOD S	01	C3218KRBTG	1180A SPEED NOT REASONABLE & PRUDENT	7	LERAY ST E/M	18BR00445
08/12/2018	WOOD S	01	C3218KN2MB	1180D SPEED IN ZONE	7	SR 3 @ HUNTINGTON ST B/R	18BR00436
08/12/2018	WOOD S	01	C3218KNZL2	306B UNINSPECTED MOTOR VEHICLE	7	SR 3 @ W REMINGTON ST B/R	18BR00434
08/12/2018	WOOD S	01	C3218KNS21	3752A3 NO/INSUFFICIENT TAIL LAMPS	7	S MAIN ST @ PECK ST E/M	18BR00440
08/12/2018	WOOD S	01	C3218KN126	37540B INADEQUATE OR NO STOP LAMPS	7	SR 3 @ S MAIN ST B/R	18BR00435
08/12/2018	WOOD S	01	C3218KN1X5	306B UNINSPECTED MOTOR VEHICLE	7	SR 3 @ HUNTINGTON ST B/R	18BR00436
08/12/2018	WOOD S	01	C3218KN2GL	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	SR 3 @ HUNTINGTON ST B/R	18BR00436
08/08/2018	WOOD S	01	C3218K7571	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	LERAY ST 200 BLK B/R	18BR00429
08/08/2018	WOOD S	01	C3218K7RGK	4011A UNREGISTERED MOTOR VEHICLE	7	LERAY ST @ CHURCH ST E/M	18BR00432
08/07/2018	WOOD S	01	C3218K3ZW4	4023 UNREGISTERED TRAILER	7	FACTORY ST E/M	18BR00423
08/02/2018	WOOD S	01	C3218JLMZ9	5092 OPERATING OUT OF CLASS	7	8722 NOBLE ST E/M	18BR00417
08/02/2018	WOOD S	01	C3218JLMKM	4101 UNREGISTERED MOTORCYCLE	7	8722 NOBLE ST E/M	18BR00417
08/02/2018	WOOD S	01	C3218JLL98	37535A PROHIBITED USE/STUD TIRES 5/1-10/15	7	LERAY ST @ CHURCH ST E/M	18BR00415
07/25/2018	WOOD S	01	C3218HQDMG	1229C1B BACK SEAT PASS AGE 4-7 NO/IMPROPER RESTRAI	7	PECK ST @ US 11	18BR00409
07/25/2018	WOOD S	01	C3218HQDJ1	1229C1B BACK SEAT PASS AGE 4-7 NO/IMPROPER RESTRAI	7	PECK ST @ US 11	18BR00409
07/25/2018	WOOD S	01	C3218HQCTF	37512AB2 SIDEWINGS/SIDEWINDOWS/NON/TRASNPRINT	7	PECK ST @ US 11	18BR00409
07/25/2018	WOOD S	01	C3218HQ8LK	3191U OPERATING WITHOUT INSURANCE	7	WILLOW ST	18BR00407
07/25/2018	WOOD S	01	C3218HQDCG	5091 UNLICENSED OPERATOR	7	PECK ST @ US 11	18BR00409
07/24/2018	WOOD S	01	C3218HLFT1	4011A UNREGISTERED MOTOR VEHICLE	7	S MAIN ST E/M	18BR00400
07/24/2018	WOOD S	01	C3218HLBSS	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST E/M	18BR00399
07/24/2018	WOOD S	01	C3218HLBFG	306B UNINSPECTED MOTOR VEHICLE	7	S MAIN ST E/M	18BR00399
07/24/2018	WOOD S	01	C3218HLJHH	3191U OPERATING WITHOUT INSURANCE	7	LERAY ST AT HENRY ST E/M	18BR00401
07/23/2018	WOOD S	01	C3218HJTX	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	SR 3 @ HUNTINGTON ST B/R	18BR00397
07/23/2018	WOOD S	01	C3218HJSSC	37535A PROHIBITED USE/STUD TIRES 5/1-10/15	7	SR 3 @ HUNTINGTON ST B/R	18BR00397
07/19/2018	WOOD S	01	C3218H23KH	5092 OPERATING OUT OF CLASS	7	SR 3 @ HUNTINGTON ST B/R	18BR00386
07/17/2018	WOOD S	01	C3218GVXHH	37540B INADEQUATE OR NO STOP LAMPS	7	LERAY ST E/M	18BR00384
07/13/2018	WOOD S	01	C3218GGNX5	4031 NO/MORE THAN ONE STICKER	7	PEARL ST RD @ N MAIN ST	18BR00378
07/12/2018	WOOD S	01	C3218GGCKT7	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST NEAR US 11 E/M	18BR00369
07/09/2018	WOOD S	01	C3218G26W3	37535A PROHIBITED USE/STUD TIRES 5/1-10/15	7	LERAY ST E/M	18BR00366

Date	Officer Name	Badge	Case Number	Section And Offense	Status	Location	Local Code
07/09/2018	WOOD S	01	C3218G24J7	1180D SPEED IN ZONE	7	LERAY ST @ CHURCH ST E/M	18BR00365
07/08/2018	WOOD S	01	C3218FV3FS	1162 UNSAFE STARTING	7	NOBLE ST @ S MAIN ST E/M	18BR00362
07/08/2018	WOOD S	01	C3218FV3TK	306B UNINSPECTED MOTOR VEHICLE	7	NOBLE ST @ S MAIN ST E/M	18BR00362
07/08/2018	WOOD S	01	C3218FV3X3	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	NOBLE ST @ S MAIN ST E/M	18BR00362
07/07/2018	WOOD S	01	C3218FTH18	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	SR 3 @ HUNTINGTON ST B/R	18BR00357
06/30/2018	WOOD S	01	C3218F3J18	1180B SPEED OVER 55 ZONE	7	US 11 @ S MAIN ST E/M	18BR00341
06/30/2018	WOOD S	01	C3218F36K8	1180D SPEED IN ZONE	7	PEARL ST RD @ MAIN ST N B/R	18BR00340
06/29/2018	WOOD S	01	C3218DZ6HS	37540B INADEQUATE OR NO STOP LAMPS	7	LERAY ST E/M	18BR00336
06/27/2018	WOOD S	01	C3218DR20P	1180D SPEED IN ZONE	7	SR 3 @ STAFFORD DR	18BR00333
06/27/2018	WOOD S	01	C3218DR2CH	5091 UNLICENSED OPERATOR	7	SR 3 @ STAFFORD DR	18BR00333
06/17/2018	WOOD S	01	C3218CPKW1	37535A PROHIBITED USE/STUD TIRES 5/1-10/15	7	LERAY ST E/M	18BR00306
06/11/2018	OBRIEN D	03	C3218C1VM1	1180D SPEED IN ZONE	7	S MAIN ST, B/R	18BR00300
06/06/2018	OBRIEN D	03	C3218B141G	306B UNINSPECTED MOTOR VEHICLE	7	FACTORY ST, E/M	18BR00299
06/05/2018	WOOD S	01	C3218ECX6Z	1180A SPEED NOT REASONABLE & PRUDENT	7	210 S MAIN ST B/R	18BR000295
06/05/2018	WOOD S	01	C3218BCWM9	37535C UNSAFE TIRE, RIGHT REAR	7	210 S MAIN ST B/R	18BR000295
06/05/2018	WOOD S	01	C3218BCV68	37535C UNSAFE TIRE, LEFT REAR	7	210 S MAIN ST B/R	18BR000295
06/04/2018	WOOD S	01	C3218B91TL	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	SR 3 @ HUNTINGTON ST B/R	18BR00292
06/04/2018	WOOD S	01	C3218B9CZ4	1225D OPER MV WHILE USING PORTABLE ELEC DEV	7	192 N MAIN ST B/R	18BR00291
05/31/2018	OBRIEN D	03	C32189V7XR	1163D IMPROPER/NO SIGNAL	7	S MAIN ST, E/M	18BR00283
05/24/2018	WOOD S	01	C3218937DC	1126A DRIVING TO LEFT OF PAVEMENT MARKINGS	7	SR 3	18BR00264
05/22/2018	WOOD S	01	C32188WNTR	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	LERAY ST @ E/M SCHOOL	18BR00260
05/12/2018	WOOD S	01	C32187TNZL	37540B INADEQUATE OR NO STOP LAMPS	7	SR 3 @ STAFFORD	18BR00252
05/10/2018	WOOD S	01	C32187MJVJ	1225C2A OP MV- MOBILE PHONE	7	LERAY ST NEAR HENRY ST E/M	18BR00246
05/10/2018	WOOD S	01	C32187MKD2	512 OPERATING WHILE REGISTRATION SUSP/REVOKED	7	LERAY ST NEAR HENRY ST E/M	18BR00246
05/10/2018	WOOD S	01	C32187MW86	306B UNINSPECTED MOTOR VEHICLE	7	S MAIN ST E/M	18BR00247
05/07/2018	WOOD S	01	C32187BF6T	1172A FLD TO STOP @ STOP SIGN	7	FACTORY ST AT KEYSER E/M	18BR00243
05/07/2018	WOOD S	01	C32187BH15	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	FACTORY ST E/M	18BR00244
05/07/2018	WOOD S	01	C32187BFT4	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	FACTORY ST AT KEYSER E/M	18BR00243
04/21/2018	WOOD S	01	C32185MD0M	5098 FLD/NOTIFY DMV CHANGE OF ADDRESS	7	160 LERAY ST B/R	18BR00220
04/21/2018	WOOD S	01	C32185M4BV	3752A3 NO/INSUFFICIENT TAIL LAMPS	7	SR 3 @ W REMINGTON ST	18BR00218
04/21/2018	WOOD S	01	C32185M1LV	1180D SPEED IN ZONE	7	SR 3 @ HUNTINGTON ST	18BR00213
04/20/2018	OBRIEN D	03	C32185GNDL	1180D SPEED IN ZONE	7	LERAY ST, E/M	18BR00216
04/14/2018	WOOD S	01	C32184V3VL	1123 IMPROPER PASSING	7	SR 3 @ CESARIOS	18BR00210
04/14/2018	WOOD S	01	C32184V7JB	4031 NO/MORE THAN ONE STICKER	7	SR 3 @ LIMITS WEST	18BR00211
04/14/2018	WOOD S	01	C32184TW0C	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	SR 3 @ STAFFORD DR	18BR00208

Date	Officer Name	Badge	Case Number	Section And Offense	Status	Location	Local Code
04/14/2018	WOOD S	01	C32184V9JJ	4031 NO/MORE THAN ONE STICKER	7	SR 3 @ HUNTINGTON ST	18BR00212
04/12/2018	WOOD S	01	C32184NLB7	3752A1 NO/INADEQUATE LIGHTS	7	US 11 @ PECK ST	18BR00205
04/09/2018	WOOD S	01	C32184B5N5	37540B INADEQUATE OR NO STOP LAMPS	3	LERAY ST @ HENRY ST E/M	18BR00200
04/03/2018	OBRIEN D	03	C32183P4FB	1180D SPEED IN ZONE	7	WILLOW ST	18BR00178
04/02/2018	WOOD S	01	C32183L8PP	1180D SPEED IN ZONE	7	SR 3 @ W REMINGTON ST B/R	18BR00176
04/02/2018	WOOD S	01	C32183KNRC	306B UNINSPECTED MOTOR VEHICLE	7	LERAY ST @ HOWE ST B/R	18BR00171
03/24/2018	WOOD S	01	C32182M4W1	1180D SPEED IN ZONE	7	S MAIN ST @ BRIDGE	18BR00158
03/23/2018	WOOD S	01	C32182JMRR	1180D SPEED IN ZONE	7	SR 3 @ W REMINGTON ST	18BR00152
03/19/2018	WOOD S	01	C32182237V6	306B UNINSPECTED MOTOR VEHICLE	7	LERAY ST E/M	19BR00146
03/19/2018	WOOD S	01	C32182237D8	4011A UNREGISTERED MOTOR VEHICLE	7	LERAY ST E/M	19BR00146
03/13/2018	WOOD S	01	C32181FM3C	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	SR 3 @ HUNTINGTON ST	18BR00140
03/08/2018	WOOD S	01	C32180WLX8	1180C SPEEDING IN SCHOOL ZONE	7	S MAIN ST E/M	18BR00128
02/24/2018	WOOD S	01	C3217ZMNJZ	1180D SPEED IN ZONE	7	SR 3 AT HUNTINGTON ST B/R	18BR00101
02/23/2018	WOOD S	01	C3217ZK48X	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST E/M	18BR00094
02/15/2018	WOOD S	01	C3217XNQWV	306B UNINSPECTED MOTOR VEHICLE	7	NOBLE ST E/M	18BR00083
02/15/2018	WOOD S	01	C3217XNTDV	37522 VISIBILITY DISTORTED BROKEN GLASS	7	NOBLE ST E/M	18BR00083
02/15/2018	WOOD S	01	C3217XNSTX	37540B INADEQUATE OR NO STOP LAMPS	7	NOBLE ST E/M	18BR00083
02/15/2018	WOOD S	01	C3217XNSZK	5112A4 AGGRAVATED UNLICENSED OPERATION - 2ND DEG	7	NOBLE ST E/M	18BR00083
02/09/2018	WOOD S	01	C3217X12HH	5111A AGGRAVATED UNLIC OP 3RD (MISD)	7	SR 3 @ STAFFORD DR	18BR00079
02/09/2018	WOOD S	01	C3217X122D	1180D SPEED IN ZONE	7	SR 3 @ STAFFORD DR	18BR00079
02/01/2018	WOOD S	01	C3217W5TQS	4021 NO DISTINCTIVE PLATE/INSECURE/DIRTY	7	LERAY ST E/M	18BR00061
02/01/2018	WOOD S	01	C3217W6D60	1180D SPEED IN ZONE	7	SR 3 B/R	18BR00062
01/26/2018	WOOD S	01	C3217VHQRN	5092 OPERATING OUT OF CLASS	7	SR 3 @ W REMINGTON ST B/R	18BR00045
01/26/2018	WOOD S	01	C3217VJ0X6	37512AB2 SIDEWINGS/SIDEWINDOWS/NON/TRASNPRINT	7	8743 FACTORY ST	18BR00046
01/26/2018	WOOD S	01	C3217VJ32M	306B UNINSPECTED MOTOR VEHICLE	7	US 11 @ PECK ST	18BR00047
01/19/2018	WOOD S	01	C3217TS3BV	306B UNINSPECTED MOTOR VEHICLE	7	LERAY ST	18BR00036
01/19/2018	WOOD S	01	C3217TR7DN	1110A DISOBEYED TRAFFIC CONTROL DEVICE	7	S MAIN ST	18BR00032
01/19/2018	WOOD S	01	C3217TRNMH	37540B INADEQUATE OR NO STOP LAMPS	7	SR 3 @ STAFFORD DR	18BR00035
01/15/2018	WOOD S	01	C3217TCCG0	1180B SPEED OVER 55 ZONE	7	US 11 @ S MAIN ST	18BR00024

Summary

Query returned 165 records.

ACC Report by Date

From 01/01/2018 to 12/31/2018

Date	Case Number	OfficerName	Badge	Status	Road	Intersection	Injured	Fatal	Ped	Local Code
12/27/2018	CGC321928Q1N	WOOD S	01	7	US HIGHWAY 11		0	0	N	18BR00755
12/17/2018	CGC321916R5C	WOOD S	01	7	STATE HIGHWAY 342		0	0	N	18BR00733
06/25/2018	CGC3218DHJL	WOOD S	01	7	107 JEFFERSON PL		0	0	N	18BR00323
06/05/2018	CGC3218BCTWD	WOOD S	01	7	210 S MAIN ST		0	0	N	18BR00295
06/04/2018	CGC3218B9C14	WOOD S	01	7	192 N MAIN ST		0	0	N	18BR00291
05/05/2018	CGC321872SRF	O'BRIEN D	03	7	100 LERAY ST		0	0	N	18BR00233
02/03/2018	CGC3217WCR40	WOOD S	01	7	US 11		0	0	N	18BR00065
01/17/2018	CGC3217TKV4	O'BRIEN D	03	7	8570 LERAY ST PARKING LOT		0	0	N	18BR00026

Summary Cases may be listed multiple times if more than one vehicle had the same contributing factor.

Query returned 8 records.

Amended records 0

* Indicates that the report has been amended

12/10/2018

*Mr. Leland Carpenter, Mayor
107 Jefferson Place
Black River, NY 13612*

RE: Energy Efficiency Incentive for National Grid's LED Outdoor Lighting Conversion Program

BA Number: 76138-81107 App#: 8771614

Dear Leland Carpenter:

Thank you for participating in National Grid's LED Outdoor Lighting Conversion Program that assists customers in converting their street lights to more energy efficient LED technology. National Grid has pre-approved the Energy Efficiency incentive for the outdoor lighting LED conversion project for your municipality – Village of Black River. After a review of your desired light selections, we have determined that your LED outdoor lighting conversion will qualify for an incentive payment from National Grid that will total \$8,065.00.

Please note that National Grid's incentive payment for this project will be paid once the installation is complete and the billing has been updated accordingly.

If there is a change in your project after pre-approval, we will determine whether the proposed change will require any revision to your application or Energy Efficiency incentive as pre-approved.

Please call me if you have any questions. We would also welcome the opportunity to assist you in identifying other opportunities to save energy for the Village of Black River. Please feel free to contact me and we can discuss further. Thank you for your support of our programs and look forward to continuing to work with you to help you save energy and money.

Sincerely,

Jennifer Egeberg, Consumer Representative
315-785-7331

TO: NYS ROUTE 3 CORRIDOR SEWER BOARD

FROM: Christina Vargulick, Secretary

DATE: December 11, 2018

RE: Minutes of December 10, 2018 meeting

Present: S. Allen, L. Carpenter, G. Eddy, B. Ferguson and R. Taylor

Others: B. Nutting, G. Smith, N. Toutant and C. Vargulick

The NYS Route 3 Corridor Sewer/Development Board met in regular session on Monday, December 10, 2018 at the T/Champion Municipal Building. L. Carpenter called the meeting to order at 4:30pm.

The Board reviewed the minutes for September 10, 2018. Motion by R. Taylor, seconded by B. Ferguson to approve the minutes as presented. Ayes-5, Nays-0. Motion carried.

Operating Report

The period summary for September, 2018 was distributed to the Board. The sewer flow was 5.3MG. Eight nine percent (89%) of the total budgeted revenues were received. Expenses year-to-date were seventy three percent (73%) of the total budgeted. Net cash of \$264,942.93 remained at the end of the period. The reserve account balance was \$136,903.71.

The period summary for October, 2018 was distributed to the Board. The sewer flow was 6.4MG. Ninety one percent (91%) of the total budgeted revenues were received. Expenses year-to-date were eighty four percent (84%) of the total budgeted. Net cash of \$199,478.09 remained at the end of the period. The reserve account balance was \$137,133.61.

The period summary for November, 2018 was distributed to the Board. The sewer flow was 6.8MG. Ninety five percent (95%) of the total budgeted revenues were received. Expenses year-to-date were ninety percent (90%) of the total budgeted. Net cash of \$193,341.77 remained at the end of the period. The reserve account balance was \$137,357.58.

B. Nutting noted a service call to 23539 Perrigo Road to replace a grinder pump which failed due to baby wipes. The pump was replaced in August due to the same issue. At that time, a warning letter and flyer detailing items that should not be flushed was forwarded to the property owner. Motion by G. Eddy, seconded by B. Ferguson to bill the property owner for the cost of parts to repair the grinder pump and labor to replace and repair the pump in accordance with Section 502(B); Subsection 3 of the sewer law. Ayes-5, Nays-0. Motion carried.

Motion by B. Ferguson, seconded by L. Carpenter to approve the monthly reports as presented. Ayes-5, Nays-0. Motion carried.

New Business

Board members discussed at length the 2019 Administrative Operating Protocol. The V/Black River Board has questioned the Route 3 Sewer Board's procedure for adopting its annual budget. The V/Black River Board opened a public hearing on the 2019 Route 3 Sewer budget to hear public comment and has made a motion to close it contingent on the NYS Route 3 Sewer Board's re-vote on the 2019 budget insisting that a vote cannot be taken until all communities have conducted a public hearing on the budget. B. Ferguson defended the budget adoption process citing the audit findings and responses for the year ended December 31, 2017. Specifically, "the Route 3 Sewer board member from each municipality is responsible for reporting the result of the governing board's vote on the applicable rate back to Management of the Route 3 Sewer Board or Designee when their public hearings took place." for the rates to be effective January 1st of the following year. The representative members from the Towns of Champion LeRay, Pamela and Rutland all confirmed that their Board's conducted public hearings and approved the budget.

L. Carpenter questioned whether budget development could be accomplished at an earlier date. B. Nutting responded that the estimated revenues and expenses calculated at an earlier date could be significantly inaccurate. The balance of the board agreed. L. Carpenter mentioned that the Village considered contacting an attorney to dispute the process. R. Taylor remarked that the perceived issue is a consequence of the difference in the village and town fiscal years. S. Allen stated that hearings are being held in a timely manner. L. Carpenter restated that the Village Board will approve the 2019 Route 3 Sewer budget if the Route 3 Sewer Board will re-vote to approve budget.

Motion by G. Eddy, seconded by R. Taylor to re-adopt the 2019 Route 3 Sewer Board budget in the amount of \$1,084,871.00. The fixed rate will be \$276/EDU with a variable rate of \$241/EDU annually. Ayes-5, Nays-0. Motion carried.

Motion by L. Carpenter, seconded by G. Eddy to strike the proposed change in the 2019 Administrative Operating Protocol and to adopt the protocol as otherwise presented. Ayes-5, Nays-0. Motion carried.

Resolution offered by Bruce Ferguson, seconded Gary Eddy;
Resolved, that the NYS Route 3 Corridor Sewer/Development Board hereby approves the 2019 Operation/Maintenance and Administrative Service Agreement between the Board of Commissioners for the Route 3 Sewer

Facilities and the Development Authority of the North Country and authorizes the Chairman to execute the agreement, as presented.

Vote:

Bruce R. Ferguson; for T/Champion	Aye
Ronald Taylor; for T/LeRay	Aye
Scott Allen; for T/Pamelia	Aye
Gary Eddy; for T/Rutland	Aye
Lee Carpenter; for V/Black River	Aye

Resolution adopted.

The annual manhole inspection report was presented by B. Nutting. Mr. Nutting confirmed that the majority of the repairs could be accomplished by DANC personnel through the repairs/maintenance budget when the weather improves. Quotes will be sought for any major repairs.

The Board acknowledged B. Ferguson as the 2019 Route 3 Sewer Board Chairman.

Motion by B. Ferguson, seconded by L. Carpenter to adjourn. The meeting adjourned at 5:19pm.

The next scheduled meeting of the NYS Route 3 Sewer/Development Board will be held on Monday, February 11, 2019 at 4:30pm at the T/LeRay Municipal Building.

Christina Vargulick

Christina Vargulick, Secretary
NYS Route 3 Sewer Board of Commissioners



Department of Health

ANDREW M. CUOMO
Governor

HOWARD A. ZUCKER, M.D., J.D.
Commissioner

SALLY DRESLIN, M.S., R.N.
Executive Deputy Commissioner

December 17, 2018

Mayor Leland Carpenter and Village Board
Village of Black River
107 Jefferson Place
Black River, NY 13612

Re: NY2202331- Black River Village
PFAS Results

Dear Mayor Carpenter and Village Board,

The New York State Department of Health (DOH) recently tested your regulated drinking water system for perfluoroalkyl substances (PFAS) including perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS).

PFOA and PFOS were not detected in your system. The U.S. Environmental Protection Agency (EPA) lifetime health advisory level is 70 parts per trillion for PFOA and PFOS combined. Please note, that the standard battery of testing for PFOA and PFOS, as per U.S. EPA Method 537, includes four additional PFAS, which were also not detected.

For your information, in 2017 the New York State Drinking Water Quality Council (DWQC) was established and they have undertaken the task of providing a recommendation to the DOH on a maximum contaminant level (MCL) for PFOA and PFOS. We will keep you apprised of their progress.

If you have any questions, please contact the Watertown District Office at 315-785-2277, or the New York State Department of Health Bureau of Water Supply Protection at 518-402-7650; email: bpwsp@health.ny.gov.

Additional information on PFOA and PFOS is available at the U.S. EPA's website: <https://www.epa.gov/ground-water-and-drinking-water/drinking-water-health-advisories-pfoa-and-pfos>

Sincerely,

Lloyd R Wilson, Ph.D.
Director
Bureau of Water Supply Protection

ecc with attachment: John Strepelis, NYSDOH
Watertown District Office
Maureen Schuck, NYSDOH

cc with attachment: Steve Lillie

New York State Department of Health Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5688 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1800049281-SR-1**

Page 1 of 1

Report Date: **11/30/2018**

Report retrieved via NYSDOH Health Commerce System by czd01 on 11/30/2018

REQUESTED BY: DIRECTOR-CEHBWSP

DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: JEFFERSON
City (or) Town: BLACK RIVER
Submitted by: M. TRACY
Collected by: M. TRACY

Grab/Collection Date: **11/06/2018 11:15**
Date received: **11/08/2018 08:35**

Location/Project/Facility Name: NY2202331, BLACK RIVER VILLAGE - BLACK RIVER (V)
Sampling Location Details: V. BLACK RIVER MAPLE ST. WTP - EP
Chlorinated: Yes
Field Free Chlorine Residual (mg/L): 0.8

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1800049281-01

Sample Type: Finished Water

Received Temperature (°C): **7.7**

Lab Tracking Id: BR MAPLE WTP EP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/9/2018 Analysis Date: 11/13/2018

Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	<2.00 ng/L	NELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	
Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L; Test associated with low internal standard recovery; result may be biased.	NELAP

NOTES:

[1] DOH Unit and/or program missing or incorrect on the request for analysis form.

NELAP: National Environmental Laboratory Approval Program Accreditation

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

New York State Department of Health Wadsworth Center

Biggs Laboratory
PO Box 509
Albany, NY 12201
CLIA# 33D0654341

David Axelrod Institute
120 New Scotland Avenue
Albany, NY 12208
CLIA# 33D2005937

Griffin Laboratory
5668 State Farm Road
Slingerlands, NY 12159
CLIA# 33D2005935

Report No: **EHS1800049282-SR-1**

Page 1 of 1

Report Date: **11/30/2018**

Report retrieved via NYSDOH Health Commerce System by czd01 on 11/30/2018

REQUESTED BY: DIRECTOR-CEHBWSP

DIRECTOR'S OFFICE
BUREAU OF WATER SUPPLY PROTECTION
ROOM 1110
CORNING TOWER - EMPIRE STATE PLAZA
ALBANY NY 12237

Public Water Systems (BWSP)

County: JEFFERSON
City (or) Town: BLACK RIVER
Submitted by: M. TRACY
Collected by: M. TRACY

Grab/Collection Date: **11/06/2018 11:30**
Date received: **11/08/2018 08:35**

Additional Info: + FRB

Location/Project/Facility Name: NY2202331, BLACK RIVER VILLAGE - BLACK RIVER (V)
Sampling Location Details: V. BLACK RIVER RT. 3 WTP - EP
Chlorinated: Yes
Field Free Chlorine Residual (mg/L): 0.9

FINAL LABORATORY REPORT

Biggs Laboratory
NYS ELAP ID: 10763

Laboratory of Organic Analytical Chemistry
Lab Director: Dr. David Spink
Contact: Nicole Cairns 518-473-0323

Sample Id: EHS1800049282-01

Sample Type: Finished Water

Received Temperature (°C): **7.1**

Lab Tracking Id: BR RT3 WTP EP

Perfluoroalkyl Substances (PFASs) in Drinking Water by Ultra Performance Liquid Chromatography (UPLC) Tandem Mass Spectrometry (MS/MS): ISO 25101

Start Date: 11/9/2018 Analysis Date: 11/13/2018

Perfluoroheptanoic acid (PFHpA):	<2.00 ng/L	
Perfluorooctanoic acid (PFOA):	<2.00 ng/L	NELAP
Perfluorononanoic acid (PFNA):	<2.00 ng/L	
Perfluorobutanesulfonic acid (PFBS):	<1.77 ng/L	
Perfluorohexanesulfonic acid (PFHxS):	<1.89 ng/L	
Perfluorooctanesulfonic acid (PFOS):	<1.91 ng/L; Test associated with low internal standard recovery; result may be biased.	NELAP

NOTES:

[1] DOH Unit and/or program missing or incorrect on the request for analysis form.

NELAP: National Environmental Laboratory Approval Program Accreditation

END OF REPORT

The Laboratory Director authorizes the release of this report. The results in this report relate only to the sample submitted to the laboratory.

Black River Fire Department, Inc.

P.O. Box 95
Black River, New York 13612
Established in 1890

December 18, 2018

Dear Village Board of Directors:

The following individuals have been elected for office in the Black River Fire Department for 2019 as indicated:

President	Patrick Gaines
Vice President	Joe Paige
Secretary	William Mushtare
Treasurer	Wayne Robbe
Chief	Matthew Carpenter
1 st Assistant Chief	Les Williams
2 nd Assistant Chief	Wallace O'Neill
Board of Directors	Michael Gaines Thomas Humes Scott St. Onge Anthony Valezquez (One-year term in position vacated by P. Gaines)

In addition, the line officers requested by Chief Carpenter are:

Captains: Randy Lake
Jonathan Gaines

Sincerely,



Mark Wonderly, Secretary
BRFD



4550 Steelway Blvd South
Liverpool, NY 13090
Tel: (315) 233-0210

December 19, 2018

DPW Commissioner
Village of Black River, NY
110 Public Works Drive
Black River, NY 13612

RE: Recycling Services Agreement

To Whom It May Concern:

Pursuant to the terms and conditions of the Recycling Services Agreement, Exhibit B, Section 3 (c) Charges, please be advised that effective February 1, 2019 the Village's processing fee will be increased to \$85.00 per ton. See attached exhibit 1 for revised calculation. This increase is the result in changes implemented by the Chinese Government in 2018. Beginning with their ban of Mixed Waste Paper and Plastics Imports on January 1, 2018, and then their implementation of a 0.5% contamination limit, the impact of these policies on global markets is significant and is on-going.

Through 2017, over 25% of the worlds recyclables were imported by China, including over 50% of the paper and plastics recycled across the globe. China's new import policies banning materials and limiting contamination means that China is no longer a viable export market for recyclables. This has resulted in an oversupply of commodities across the globe, which has led to depressed commodity pricing. Supply is high and commodity pricing is low for the material that cannot achieve China's 0.5% contamination limits.

Due to the new material bans and 0.5% contamination limits, recyclers have had to add operating expense and slow down processing lines. This has increased the cost of recycling at the same time that commodity values are low.

Waste Management continues to be committed to education, actively working with you and your residents and businesses to improve the quality of material that we collect and/or process through our comprehensive Recycle Often. Recycle Right® education and outreach tools, community events, and social media. This program provides education on how to recycle right. Education is more important than ever and it is necessary that we work together and increase our education.

Exhibit 1 – Revised Calculation

Revenue Share Calculation - Single Stream			
Commodity	Current Composition %	Market Value	Values
OCC	24.72%	\$ 70.00	\$ 17.31
Sorted Resi (56)		\$ 25.00	\$ -
Mixed Paper	50.37%	\$ 5.00	\$ 2.52
Aluminum Cans	0.09%	\$ 1,380.00	\$ 1.23
Steel Cans	1.76%	\$ 35.00	\$ 0.62
PET	0.35%	\$ 320.00	\$ 1.11
Natural HDPE	1.06%	\$ 830.00	\$ 8.78
Colored HPDE	0.00%	\$ 355.00	\$ -
Mixed Plastics	2.35%	\$ 72.80	\$ 1.71
Glass	15.30%	\$ (32.00)	\$ (4.90)
Residue	4.00%	\$ (225.00)	\$ (9.00)
Total	100.00%		\$ 19.37
Processing Fee	\$ 85.00		\$ (65.63)
		50% share above Processing Fee, if positive	
			\$ (65.63)

**Office of Code Enforcement
Village of Black River, New York**



December 27, 2018

To Whom It May Concern,

The Village of Black River Office of Code Enforcement is tasked with inspecting new and existing buildings within the village limits of Black River. A Fire Safety and Property Maintenance inspection of all non-residential buildings is required annually by the village code.


Our main focus when performing these inspections is Life Safety. The goal of the inspections is to have safe businesses and to provide risk reduction to building owners, employees, customers, tenants, visitors and firefighters in the case of a fire or emergency in the building. These goals are achieved by seeking code compliance of the applicable fire and property maintenance codes.

The attached checklist provides an overview of items that should be addressed prior to your inspection, which will give you an opportunity to correct any deficiencies that may exist. This will also assist you in the future to maintain a safe and code compliant business.

After you have addressed the items in the attached checklist, the Office of Code Enforcement is asking that you to contact the Village Office to schedule an inspection of your building. The inspection will require 30 – 60 minutes, depending on the size and contents of the building. If you have not scheduled your appointment by February 1, 2019, the Code Enforcement Officer will be conducting unannounced inspections.


If you have any additional questions, please feel free to contact the Village of Black River at any time. Thank you for your help and cooperation in making your building and the Village of Black River, a safer place for all.

Sincerely,



James Holland
Code Enforcement Officer

**Office of Code Enforcement
Village of Black River, New York**



Fire and Life Safety Pre-Inspection Checklist

- Exits and exit pathways marked and clear of obstructions.
- Exit signs illuminated and visible.
- Emergency lighting provided and operational.
- Fire extinguisher(s) properly tagged, inspected and mounted. (Must be inspected every 12 months)
- Fire sprinkler system inspected, tagged, and fully operational (within 12 months); if applicable.
- Backflow preventer and/or sprinkler control valve open and locked (or equipped with a tamper alarm); if applicable.
- Fire alarm system inspected, tagged, and fully operational (within 12 months); if applicable.
- Kitchen hood suppression system inspected, tagged, and fully operational (within 6 months); if applicable.
- Electrical Hazards have been removed, Extension cords are not used in place of permanent wiring. Power strips are not overloaded, 36" of clear space in front of the electrical panel.